

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	19	(US-20030046401-\$ or US-20040207662-\$).did. or (US-4212077-\$ or US-4323315-\$ or US-4360806-\$ or US-4408302-\$ or US-4439838-\$ or US-4922448-\$ or US-5287538-\$ or US-5301348-\$ or US-5396589-\$ or US-6097390-\$ or US-6104397-\$ or US-6275987-\$ or US-6411315-\$ or US-6414697-\$ or US-6825861-\$ or US-6865717-\$ or US-6941522-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/09/26 11:57
L2	6	l1 and cursor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:13
L3	1	l1 and mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:14
L4	4	l1 and cell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40
L5	990	(715/530).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40
L6	899	(715/531).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40
L7	142	(715/772).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40
L8	1929	5 or 6 or 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:40

L9	1625	8 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:48
L10	478	I9 and (cursor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:48
L11	12	I9 and (cursor\$1) and (text adj only)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:48
S1	103	("4416558" "4922448" "6160555" "6169538" "4481603" "5507581" "5276792" "5857789" "5864332" "5796404" "5689718" "4330845" "4385461" "4809220" "4603330" "6310634" "5685001" "5701499" "5916310" "5251292" "5727224" "5752058" "5857212" "3848232" "4430725" "4435778" "4435777" "4779209" "4853878" "4897804" "5319746" "6044387" "4899276" "4434475" "4507753" "6021336" "5802537" "5008847" "5652806" "6133899" "5642132" "6130628" "4849732" "4933896" "5544048" "6098086" "6370282" "4459678" "5377311" "5881169").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:47
S2	101	S1 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:37
S3	103	("4416558" "4922448" "6160555" "6169538" "4481603" "5507581" "5276792" "5857789" "5864332" "5796404" "5689718" "4330845" "4385461" "4809220" "4603330" "6310634" "5685001" "5701499" "5916310" "5251292" "5727224" "5752058" "5857212" "3848232" "4430725" "4435778" "4435777" "4779209" "4853878" "4897804" "5319746" "6044387" "4899276" "4434475" "4507753" "6021336" "5802537" "5008847" "5652806" "6133899" "5642132" "6130628" "4849732" "4933896" "5544048" "6098086" "6370282" "4459678" "5377311" "5881169").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:40

S4	101	S3 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:40
S5	101	S3 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:07
S6	13	S5 and indicator\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:41
S7	17	("3786429" "4016365" "4367533" "4373194" "4417239" "4428065" "4739318" "4840499" "4841478" "4931987" "4984162" "5277506").PN. OR ("5864332").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/09 13:41
S8	59	S5 and edit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:44
S9	32	S5 and edit\$3 and limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:44
S10	11	S5 and edit\$3 and limit\$3 and window\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:45
S11	0	S5 and (edit\$3 and (limit\$3 near spac\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:46
S12	0	S5 and (limit\$3 near spac\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:46
S13	0	S5 and (minimal near spac\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:47

S14	90	(EOL or (end near line\$1)) near (indicator\$1 or warn\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:49
S15	0	S5 and ((EOL or (end near line\$1)) near (indicator\$1 or warn\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:48
S16	1	S5 and ((EOL or (end near line\$1)) near5 (indicator\$1 or warn\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:49
S17	1	S5 and ((EOL or (end near line\$1)) with (indicator\$1 or warn\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:49
S18	4	(EOL or (end near line\$1)) near (indicator\$1 or warn\$4) and (pda or palm or phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:52
S19	3	(minimal\$5 near (input near spac\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:53
S20	617	(400/83).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 13:53
S21	589	S20 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:07
S22	889	(715/531).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:07
S23	828	S22 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:07

S24	247	S23 and ((text\$1 or character\$1) near display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:12
S25	4	S24 and ((cell or mobile or portable) near phone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:08
S26	26	S23 and (((text\$1 or character\$1) near display\$3) same (limit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 14:12
S27	280	(input near (form\$1 or field\$1)) and (limited near space\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:49
S28	92	(input near (form\$1 or field\$1)) and (limited near space\$1) and (feedback or (feed near back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:52
S29	63	S28 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:52
S30	116	(input near (form\$1 or field\$1)) and (limited near space\$1) and (feedback or (feed near back) or progress)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:55
S31	86	S30 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:59
S32	665800	(feedback or (feed near back) or progress or (progress near (bar\$1 or indicator\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:55
S33	665800	(feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:56

S34	435983	((feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1)))) same (text\$1 or character\$1 or graphic\$1 or pen\$1) near (input\$1 or typ\$3 or writ\$3 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:57
S35	435705	((feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1)))) near (text\$1 or character\$1 or graphic\$1 or pen\$1) near (input\$1 or typ\$3 or writ\$3 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:58
S36	8583	((feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1)))) near (text\$1 or character\$1 or graphic\$1 or pen\$1) near (input\$1 or typ\$3 or writ\$3 or enter\$3)) and (graphical adj user adj interfac\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:58
S37	797	((feedback or (feed near back)) or (progress or (progress near (bar\$1 or indicator\$1)))) near (text\$1 or character\$1 or graphic\$1 or pen\$1) near (input\$1 or typ\$3 or writ\$3 or enter\$3)) and (graphical adj user adj interfac\$3) and (form\$1 near (field\$1 or input\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 12:58
S38	551	S37 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:06
S39	116	S38 and pervasive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:06
S40	133	(715/772).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:06
S41	99	S40 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:17
S42	70	S41 and limited	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:09

S43	84	S41 and limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:09
S44	2	S41 and ((character\$1 or letter\$1 or text\$1) near (input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:59
S45	11	S41 and ((character\$1 or letter\$1 or text\$1) with (input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:17
S46	1227	(feedback\$1) same ((character\$1 or letter\$1 or text\$1) with (input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:17
S47	947	S46 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:59
S48	1571	progress near (bar\$1 or indicator\$1 or checklist\$1 or (check adj list\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 13:59
S49	1074	S48 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:37
S50	622	S49 and (character\$1 or letter\$1 or text\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:00
S51	26	S50 and (visual\$2 near feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:36
S52	38	(progress near bar\$1) and (visual\$2 near feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:36

S53	15	S52 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:45
S54	0	("2003/0046401").URPN.	USPAT	OR	OFF	2005/08/10 14:45
S55	1	(typing or input) near (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:46
S56	1	(typing or input key\$3) near (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47
S57	1	(input\$1) near (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47
S58	1	(input\$1) near3 (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47
S59	1	(input\$1) near5 (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47
S60	14	(input\$1) with (progress near bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 14:47
S61	21176	nokia.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:06
S62	65	S61 and (text\$1 near input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:07
S63	0	S61 and (text\$1 near input\$4 near (form\$1 or space\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:07

S64	4	(verizon.as.) and (text\$1 near input\$4 near (form\$1 or space\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:08
S65	4	(verizon.as.) and (text\$1 near input\$4 near (form\$1 or space\$1 or display\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:09
S66	13	(nokia.as.) and (text\$1 near input\$4 near (form\$1 or space\$1 or display\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:10
S67	0	(nokia.as.) and (manual\$2 near text\$1 near (input\$4 or entry\$1 or enter\$3) near (form\$1 or space\$1 or display\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:10
S68	0	((cell\$4 or wireless) near (telephone\$1 or phone\$1)) and (manual\$2 near text\$1 near (input\$4 or entry\$1 or enter\$3) near (form\$1 or space\$1 or display\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:11
S69	15	((cell\$4 or wireless) near (telephone\$1 or phone\$1)) and (manual\$2 near text\$1 near (input\$4 or entry\$1 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:13
S70	0	S69 and feedback\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:12
S71	15	((cell\$4 or wireless) near (telephone\$1 or phone\$1)) and (manual\$2 near text\$1 near (input\$4 or entr\$3 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:13
S72	62	(manual\$2 near text\$1 near (input\$4 or entr\$3 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:16
S73	15	S72 and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:17

S74	5	S72 and buffer\$3 and ((feed adj back\$1) or feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:18
S75	272	(graphical\$2 near ((feed adj back\$1) or feedback\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:19
S76	0	(graphical\$2 near ((feed adj back\$1) or feedback\$1)) near (bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:19
S77	60	(graphical\$2 near ((feed adj back\$1) or feedback\$1)) and (buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:22
S78	113	((graphical\$2 or icon\$6 or cursor\$1) near ((feed adj back\$1) or feedback\$1)) and (buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:27
S79	133	(715/772).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:27
S80	12	("5542088" "5550970" "5644334" "5805166" "5911779" "5986992" "6014141" "6023698" "6097390" "6100887" "6104397" "6338072").PN. OR ("6865717").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/15 11:42
S81	99	S79 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:11
S82	36	S81 and ((text\$7 or character\$1 or keyboard\$1) near5 (input\$4 or status\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 11:49
S83	40	S81 and ((text\$7 or character\$1 or keyboard\$1) near5 (input\$4 or status\$3 or progress\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:10

S84	24	("5301348" "5319384" "5420968" "5423039" "5448693" "5479602" "5519390" "5524195" "5544295" "5586237" "5596694" "5630081" "5655093" "5801692" "5801698" "5805166" "5898432" "5940078" "5953010").PN. OR ("6097390"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/15 11:57
S85	16982	(text near messag\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:10
S86	9222	(text near messag\$3) and (pervasive or portable or mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:11
S87	3002	(text near messag\$3) and ((pervasive or portable or mobile) near device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:11
S88	1363	S87 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:11
S89	0	S88 and (graphical\$2 near feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:12
S90	0	S88 and (graphical\$2 near findicator\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:12
S91	0	S88 and (iconic\$4 near findicator\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 12:12
S92	11	form\$1 near field\$1 near progress\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:41

S93	18	form\$1 near field\$1 near limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:42
S94	9	form\$1 near field\$1 near (graphic\$1 or icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:41
S95	132	(form\$1 near field\$1) near5 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:43
S96	72	(form\$1 near field\$1) near3 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 14:42
S97	112	S95 and @ad<="20020719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 15:18
S98	0	(textarea) near (restrict\$4 or limit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 15:19
S99	12	(textarea) near5 (restrict\$4 or limit\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/15 15:19
S10 0	27140	(web or html) near form\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:18
S10 1	119	(web or html) near form\$1 near5 limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:19
S10 2	9	((web or html) near form\$1) near5 limit\$3 near5 input\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:20

S10 3	820	limit\$3 with text\$1 with input\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:21
S10 4	820	limit\$3 with (text\$1 with input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:21
S10 5	204	limit\$3 with (text\$1 near input\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:21
S10 6	0	(limit\$3 with (text\$1 near input\$1)) same ((web or html) near5 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:22
S10 7	21	(limit\$3 with (text\$1 near input\$1)) and((web or html) near5 form\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:22
S10 8	18135	(form\$1 near field\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:42
S10 9	8	(form\$1 near field\$1) same (textarea)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:14
S11 0	658	(form\$1 near field\$1) same (limit\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:53
S11 1	29	(form\$1 near field\$1) same (limit\$3 with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:48
S11 2	11	S111 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:57

S11 3	9	S112 and (count\$3 or feedback\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:51
S11 4	275	(form\$1 near field\$1) same (bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:53
S11 5	468	(form\$1 near field\$1) same (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:53
S11 6	7	(form\$1 near field\$1) same ((progress\$3 or status\$2) with bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:55
S11 7	10	(form\$1 near (field\$1 or input\$4)) same ((progress\$3 or status\$2) with bar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:56
S11 8	1548	(form\$1 near (field\$1 or input\$4)) same ((progress\$3 or status\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:59
S11 9	1007	S118 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:00
S12 0	6298	((form\$1 near (field\$1 or input\$4)) or cursor\$1 or icon\$1 or avatar\$1) with ((progress\$3 or status\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:00
S12 1	936	(cursor\$1 or icon\$1 or avatar\$1) near (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:01
S12 2	506	S121 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:01

S12 3	164	(cursor\$1) near (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:02
S12 4	93	S123 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:05
S12 5	0	(cursor\$1) with ((text\$1 or character\$1) near (input\$4)) near (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:02
S12 6	16	(cursor\$1) with ((text\$1 or character\$1) near (input\$4)) with (progress\$3 or status\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:04
S12 7	1609	(cursor\$1) with ((text\$1 or character\$1) near input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:04
S12 8	399	"I29" and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:15
S12 9	186	S128 and (progress\$3 or status\$2 or feedback\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:13
S13 0	39	S128 and ((progress\$3 or status\$2 or feedback\$3) with input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:05
S13 1	0	S128 and (progress\$3 or status\$2 or feedback\$3) and (character\$1 near counter\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:14
S13 2	160	(form\$1 near field\$1) and ((character\$1 or input\$4) near count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:15

S13 3	152	S132 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:16
S13 4	117	(form\$1 near field\$1) and ((character\$1 or input\$4) near (counter\$1 or counting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:17
S13 5	152	S133 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:23
S13 6	0	(form\$1 near field\$1 near processing) and ((character\$1 or input\$4) near (counter\$1 or counting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:17
S13 7	2	("5,060,980").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:17
S13 8	12	(pervasive near device\$1) same ((graphical adj user adj interfac\$3) or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:25
S13 9	904	(status\$2 or progress) near (cursor\$1 or icon\$1 or avatar\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:26
S14 0	1096	(status\$2 or progress or feedback\$1) near (cursor\$1 or icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:26
S14 1	1	(input\$4 near (status\$2 or progress or feedback\$1)) near (cursor\$1 or icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:26
S14 2	26	(input\$4 near5 (status\$2 or progress or feedback\$1)) near (cursor\$1 or icon\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 12:27

S14 3	11331	sms and messag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:26
S14 4	8135	S143 and ((limit\$3 or count\$3) character\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:27
S14 5	425	((simple adj message) or sms) same (count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:28
S14 6	203	S145 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:29
S14 7	7338	(short adj message adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:34
S14 8	3075	(short adj message adj service) and GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:29
S14 9	2781	S147 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:37
S15 0	204	S149 and ((character\$1 or text\$1) with (input\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:32
S15 1	58	S150 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:33
S15 2	57	S150 and (progress\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:33

S15 3	3	S149 and (count\$3 near (character\$1 or keystroke\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:35
S15 4	9	S147 and (count\$3 near (character\$1 or keystroke\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:36
S15 5	21	S147 and (count\$3 near3 (character\$1 or keystroke\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:37
S15 6	7	S155 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/25 15:37
S15 7	57	(graphic\$5 or visual\$5) near (text adj input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:55
S15 8	50	S157 and (indicat\$3 or progress\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:50
S15 9	10	S158 and (cell or mobile or portable or pervasive)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:49
S16 0	3	(progress or status) near (text adj input\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:56
S16 1	5	(progress or status) near (text adj (input\$5 or ent\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:58
S16 2	3	(progress or status) near (text adj (input\$5 or (entries or entrys)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 09:59

S16 3	19	(progress or status) near5 (text adj (input\$5 or (entries or entrys)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:03
S16 4	309	("simple message" or messag\$3 or buffer\$3) near5 (text adj (input\$5 or (entries or entrys)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:10
S16 5	167	S164 and (status\$3 or indicator\$1 or progress)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:10
S16 6	199	S164 and (status\$3 or indicator\$1 or progress or dynamic\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:20
S16 7	18	S164 and ((position\$3 or status or progress) near (indicator\$1 or icon\$1 or bar\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:13
S16 8	91	(dynamic\$4 near cursor\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:20
S16 9	9	S168 and ((text\$1 or character\$1) near (input\$4 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 10:21
S17 0	2	"20030046401"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:23
S17 1	36	(data adj entry adj field\$1) same maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:42
S17 2	11	S171 and @ad<="20010712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:42

S17 3	604	(data adj entry adj field\$1) and maximum	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:42
S17 4	333	S173 and @ad<="20010712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:45
S17 5	333	S174 and (limit\$3 or maximum\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:43
S17 6	211	S174 and (count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:43
S17 7	4	S174 and (count\$3 near character\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:44
S17 8	93	(input near character\$1 near count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:51
S17 9	84	S178 and @ad<="20010712"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:45
S18 0	50	(input near character\$1 near length\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 11:51
S18 1	10	("2093142" "4143808" "4193071" "4484826" "4523294" "4755955" "4802104" "4923314" "5065358").PN. OR ("5396589").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/30 11:52
S18 2	705	(command adj pattern\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:33

S18 3	553	S182 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:34
S18 4	123	S183 and (progress or status)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:35
S18 5	18	S184 and (text\$4 near5 input\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 13:36
S18 6	496	(memory adj2 writer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:58
S18 7	2	(memory adj2 writer) and (type adj writer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 10:59
S18 8	45	(memory adj2 writer) and ((international adj business adj machines) or IBM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:03
S18 9	5	S188 and @ad<="19900101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:02
S19 0	313	(typewriter\$1 near display\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:02
S19 1	180	S190 and @ad<="19900101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:02
S19 2	40	S191 and ((international adj business adj machines) or IBM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:04

S19 3	30	S192 and (buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:04
S19 4	16	S193 and ((text\$1 or character\$1) near (input\$4 or enter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:05
S19 5	14	S194 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/02 11:05
S19 6	44542	(status\$2 or progress\$4) adj3 indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:35
S19 7	20981	(status\$2 or progress\$4) adj indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:34
S19 8	20981	(status\$2 or progress\$4) adj1 indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:34
S19 9	36196	(status\$2 or progress\$4) adj2 indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:34
S20 0	2983	S196 and ((text\$1 or character\$1) near5 (input\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:36
S20 1	54175	(status\$2 or progress\$4 or feedback\$1) adj3 indicat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:35
S20 2	3369	S201 and ((text\$1 or character\$1) near5 (input\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:36

S20 3	580	S201 and ((text\$1 or character\$1) near5 (field\$1) near5 (input\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:37
S20 4	483	S203 and (graphical\$2 or numerical\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:37
S20 5	123	S203 and ((graphical\$2 or numerical\$2) near5 display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:40
S20 6	455	S203 and count\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:40
S20 7	157	S206 and increment\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:41
S20 8	149	S206 and increment\$3 and limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:50
S20 9	2	("6104397").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/07 14:50
S21 0	10	("4974173" "5301348" "5392207" "5452416" "5519828" "5630081" "5745713").PN. OR ("6104397").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/07 14:50
S21 1	11	("5500936" "5652714" "5664216" "5815153" "5841959" "5877764" "5896138" "5905496" "6104397" "6239800" "6326985").PN. OR ("6825861").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/07 14:56

S21 2	35	("4034353" "4200896" "4203103" "4333144" "4415974" "4623988" "4628470" "4638436" "4730262" "4899136" "4935870" "D295763").PN. OR ("5301348").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 11:01
S21 3	8	S212 and cursor\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 11:02
S21 4	3	S213 and ((text\$1 or character\$1) near (input\$4 or entr\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/08 11:02
S21 5	724	text\$1 near cursor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:09
S21 6	464	S215 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:17
S21 7	55	S216 and animat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:06
S21 8	3	(text\$1 near cursor\$1) with animat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:09
S21 9	3	S215 with animat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:09
S22 0	3017	text\$1 near5 cursor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:09
S22 1	13	S220 with animat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:16

S22 2	2	("6104397").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:17
S22 3	142	(715/772).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:17
S22 4	72	S223 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:18
S22 5	63	S224 and (input\$4 or entr\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:18
S22 6	30	S224 and ((text\$1 or data) near5 (input\$4 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:19
S22 7	5	S226 and (pervasive or mobile or portable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:47
S22 8	80	(715/780).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:47
S22 9	33	(715/770).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:48
S23 0	0	("14and15").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:48
S23 1	0	S228 and S229	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:48

S23 2	242	(715/771).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:48
S23 3	2	S229 and S232	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 13:48
S23 4	248	(455/455).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:49
S23 5	83919	("370").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:49
S23 6	0	(370/328*).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:49
S23 7	3991	(370/32\$).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:50
S23 8	2682	(370/349).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:50
S23 9	315	(370/496).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:50
S24 0	1415	(370/522).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 11:59
S24 1	2426	455/466	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:01

S24 2	10463	S237 S238 S239 S240 S241	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:01
S24 3	7285	S242 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S24 4	109	S243 and ((graphical adj user adj interfac\$3) or GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:03
S24 5	723	S243 and (sms or (short adj message adj servic\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S24 6	18	S244 and S245	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:06
S24 7	610	S245 and (limit\$3 or abbreviat\$3 or shorten\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:07
S24 8	23	S245 and ((limit\$3 or abbreviat\$3 or shorten\$2) near5 (input\$4 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:13
S24 9	376	715/76\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:10
S25 0	187	715/77\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:10
S25 1	96	S249 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12

S25 2	34	S250 and @ad<="20010719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S25 3	117	S251 or S252	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S25 4	0	S253 and (sms or (short adj message adj servic\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:12
S25 5	53	S253 and ((chat\$4 or messag\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:13
S25 6	8	S253 and ((limit\$3 or abbreviat\$3 or shorten\$2) near5 (input\$4 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 12:14